

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S70	2003	SAP WITH system\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/27 17:21
S2	30	(sap AND aktiengesellschaft).as.	USPAT	OR	OFF	2006/02/27 17:22
S71	158	(sap AND aktiengesellschaft).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/27 17:23
S74	270	S70 AND (object-oriented)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/27 17:29
S72	23	S71 AND (object-oriented)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/27 17:29
S75	264	S74 AND (pointer\$1 reference\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/27 17:30
S73	22	S72 AND (pointer\$1 reference\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/27 17:30
S76	87	S75 AND ((creat\$3 produc\$4 mak\$3) NEAR4 (pointer\$1 reference\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/27 17:44
S77	4	(application\$1 WITH (creat\$3 produc\$3 mak\$3) WITH (pointer\$1 reference\$1)) AND (record ADJ2 writer\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/27 17:46
S78	464	(application\$1 WITH (creat\$3 produc\$3 mak\$3) WITH (pointer\$1 reference\$1)) AND (regist\$7 NEAR4 object\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/27 17:47
S79	52	(application\$1 WITH (creat\$3 produc\$3 mak\$3) WITH (pointer\$1 reference\$1)) AND (regist\$7 NEAR4 object\$1) AND (business NEAR2 object\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/27 17:59

## EAST Search History

S80	662	((regist\$7 log\$4) NEAR4 object\$1) SAME ((produc\$4 creat\$4 mak\$3) WITH (pointer\$1 reference\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/27 18:01
S1	0	ABAP NEAR4 class	USPAT	OR	OFF	2006/03/03 15:10
S81	67	((regist\$7 log\$4) NEAR4 object\$1) SAME (application\$1 WITH (produc\$4 creat\$4 mak\$3) WITH (pointer\$1 reference\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 15:11
L5	2288	707/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 15:11
L4	1273	707/103R.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 15:11
L6	8	((regist\$7 log\$4) NEAR4 object\$1) SAME (application\$1 WITH (produc\$4 creat\$4 mak\$3) WITH (pointer\$1 reference\$1)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 15:12


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#)

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(( object&lt;in&gt;metadata ) &lt;and&gt; ( register&lt;in&gt;metadata ) )&lt;and&gt; ( reference&amp;l..."

Your search matched 27 of 1322957 documents.

☒ e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

## » Search Options

[View Session History](#)[New Search](#)

Modify Search

(( object&lt;in&gt;metadata ) &lt;and&gt; ( register&lt;in&gt;metadata ) )&lt;and&gt; ( reference&lt;in&gt;metad

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine


IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding



IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)

- ☐ 1. **Registration and segmentation for 3D map building - a solution based on and inertial sensors**  
Lobo, J.; Almeida, L.; Alves, J.; Dias, J.;  
[Robotics and Automation, 2003. Proceedings. ICRA '03. IEEE International Co](#)  
Volume 1, 14-19 Sept. 2003 Page(s):139 - 144 vol.1  
[AbstractPlus](#) | Full Text: [PDF](#)(466 KB) IEEE CNF  
[Rights and Permissions](#)
- ☐ 2. **Use of a probabilistic shape model for non-linear registration of 3D scatt**  
Corouge, I.; Barillot, C.;  
[Image Processing, 2001. Proceedings. 2001 International Conference on](#)  
Volume 1, 7-10 Oct. 2001 Page(s):149 - 152 vol.1  
Digital Object Identifier 10.1109/ICIP.2001.958975  
[AbstractPlus](#) | Full Text: [PDF](#)(504 KB) IEEE CNF  
[Rights and Permissions](#)
- ☐ 3. **Using method lookup caches and register windowing to speed up dynam object-oriented applications**  
Ghose, K.; Desai, K.R.; Kogge, P.M.;  
[EUROMICRO 96. 'Beyond 2000: Hardware and Software Design Strategies'...](#)  
[the 22nd EUROMICRO Conference](#)  
2-5 Sept. 1996 Page(s):441 - 448  
Digital Object Identifier 10.1109/EURMIC.1996.546468  
[AbstractPlus](#) | Full Text: [PDF](#)(904 KB) IEEE CNF  
[Rights and Permissions](#)
- ☐ 4. **Super-Resolution Registration Using Tissue-Classified Distance Fields**  
Marai, G.E.; Laidlaw, D.H.; Crisco, J.J.;  
[Medical Imaging. IEEE Transactions on](#)  
Volume 25, Issue 2, Feb. 2006 Page(s):177 - 187  
Digital Object Identifier 10.1109/TMI.2005.862151  
[AbstractPlus](#) | Full Text: [PDF](#)(1320 KB) IEEE JNL  
[Rights and Permissions](#)
- ☐ 5. **Image registration and object recognition using affine invariants and con**  
Zhengwei Yang; Cohen, F.S.;



[The ACM Digital Library](#)
[The Guide](#)



[Feedback](#)
[Registration](#)
[Subscription](#)
[Library](#)


Terms used [record](#) [register](#) [pointer](#) [reference](#)
Found 28 of 171,143


Sort results by 
Display results

☒ [Save results to a Binder](#)  
☐ [Search Tips](#)  
☐ [Open results in a new window](#)

[Try an Advanced Search](#)  
[Try this search in The ACM Guide](#)


Results 1 - 20 of 28
Result page: 1 2 [next](#)
Relevance scale ☐ ☐ ☐ ☐ ☐


1


[Posters: Meeting room configuration and multiple camera calibration in meeting analysis](#)  
Yingen Xiong, Francis Quek  
October 2005 **Proceedings of the 7th international conference on Multimodal interfaces ICMI '05**  
Publisher: ACM Press  
Full text available:  [pdf \(1.83 MB\)](#)
Additional Information: [Full citation](#), [abstract](#), [references](#), [index terms](#)


In video based cross-model analysis of planning meeting, the meeting events are recorded by multiple cameras distributed in the entire meeting room. Subject's hand gestures, hand motion, head orientations, gaze targets, body poses are very important for the meeting event analysis. In order to register everything to the same global coordinate system, build 3D model, get 3D data from the video, we need to create a proper meeting room configuration and calibrate all cameras to obtain their intrinsic ...


**Keywords:** camera calibration, error analysis, meeting analysis, meeting room configuration

2


[A microprogrammed storage management system for a paged stack machine](#)  
P. Macres, G. F. Coulouris  
September 1974 **Conference record of the 7th annual workshop on Microprogramming**  
Publisher: ACM Press  
Full text available:  [pdf \(32.23 KB\)](#)
Additional Information: [Full citation](#), [abstract](#), [references](#), [index terms](#)


The development of a storage management scheme for MEMBERS, an emulated stack machine incorporating a virtual store and paging, is described. The approach used employs an analogue of the 'working set' concept of Denning. Information contained in the activation stack for each process is used to identify a 'Top Stack Set' for the process. The set of all the top stack sets defines the pages that are held in main storage. The architecture of the MEMBERS machine incorporates an active ...


3


[Support for garbage collection at every instruction in a Java compiler](#)  
James M. Stichnoth, Guei-Yuan Lueh, Michal Cierniak  
May 1999 **ACM SIGPLAN Notices , Proceedings of the ACM SIGPLAN 1999 conference on Programming language design and implementation PLDI '99, Volume 34 Issue 5**  
Publisher: ACM Press  
Full text available:  [pdf \(1.05 MB\)](#)
Additional Information: [Full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)


A high-performance implementation of a Java Virtual Machine<sup>1</sup> requires a compiler to translate Java bytecodes into native instructions, as well as an advanced garbage collector (e.g., copying or generational). When the Java heap is exhausted and the garbage collector executes, the compiler must report to the garbage collector all live object references contained in physical registers and stack locations. Typical compilers only allow certain instructions (e.g., call instructions and bac ...

**Keywords:** Java, compilers, garbage collection

4


[Architectural support for reduced register saving/restoring in single-window register files](#)  
Miquel Huguet, Tomás Lang  
February 1991 **ACM Transactions on Computer Systems (TOCS), Volume 9 Issue 1**  
Publisher: ACM Press  
Full text available:  [pdf \(2.22 MB\)](#)
Additional Information: [Full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [reviews](#)

The use of registers in a processor reduces the data and instruction memory traffic. Since this reduction is a significant factor in the improvement of the program execution time, recent VLSI processors have a large number of registers which can be used efficiently because of the advances

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)[Advanced Search](#)  
[Preferences](#)**Web**Results 1 - 10 of about 873 for **object registration, pointer/reference**. (0.38 seconds)**IWbemUnboundObjectSink.IndicateToConsumer (3 Parameters) method [WMI]**

Because each **object** in the array corresponds to a separate event, an implementation of IndicateToConsumer must treat each **object** separately. ...

msdn.microsoft.com/library/en-us/wmisdk/

wmi/iwbemunboundobjectsink\_indicatetoconsumer.asp - 19k - [Cached](#) - [Similar pages](#)

**Inserting objects into HTML**

... (where the value of a property is a **pointer/reference** to a instantiated **object**). ... "Media Type Registration Procedure." RFC 1590, USC/ISI, March 1994. ...

www.w3.org/TR/WD-object-970218 - 39k - [Cached](#) - [Similar pages](#)

**Active Template Library**

ATL provides the required services for exposing ATL-based COM **objects** including **registration**, server lifetime, and class **objects**. ...

edndoc.esri.com/arcobjects/9.0/ArcGISDevHelp/

DevelopmentEnvs/COM/VCpp/ATLDiscussion.htm - 37k - [Cached](#) - [Similar pages](#)

**[20] Inheritance -- virtual functions, C++ FAQ Lite**

That is, the member function is selected dynamically (at run-time) based on the type of the **object**, not the type of the **pointer/reference** to that **object**. ...

geneura.ugr.es/~jmerelo/c++-faq/virtual-functions.html - 31k - [Cached](#) - [Similar pages](#)

**Th Topic: memory management by garbage collection**

Quote: each Oberon module includes a **pointer reference** list of all global ... an **object** for cleanup at program termination; remove **registration** if **object** is ...

www.thesa.com/th/th-78-73-175-th-19-17-188.htm - 26k - [Cached](#) - [Similar pages](#)

**OMAC API Reference Documentation**

An Omac **Object** is a supertype of an OMAC API component/module. ... as a pointer to **pointer reference** ppvObj in which to store the created **object's** address. ...

www.isd.mel.nist.gov/projects/omacapi/

ReferenceDocumentation/OmacModuleCollation.html - 172k - [Cached](#) - [Similar pages](#)

**Method and system for implementing objects in a storage system ...**

One attribute of metadata 116 is a pointer to the class from which **object** 26 was created, in this example, file class 60. This **pointer reference** is used by ...

www.freepatentsonline.com/5915253.html - 71k - [Cached](#) - [Similar pages](#)

**Kuroyume's DevelopmentZone : interPoser : Limited Edition**

No special **objects** created. interPoser Morph Tag system used for morphs. ... First 11-digits of your Cinema 4D **registration** number. ...

www.kuroyumes-developmentzone.com/interposer\_ltd.html - 53k - [Cached](#) - [Similar pages](#)

**Rasterbar Software | Products | luabind**

To call a Lua function, you can either use call\_function() or an **object**. ... In some situations it may be desirable to split a **registration** of a class ...

www.rasterbar.com/products/luabind/docs.html - 131k - [Cached](#) - [Similar pages](#)

**[PDF] Object-Oriented Programming in**